

Abweichende Verwendung der SQUEEZE Anhänge

Im Folgenden wird kurz erläutert, wie die durch SQUEEZE for BC heruntergeladenen Anhänge für ein Szenario verwendet werden können, das von der vorgesehenen Verwendung abweicht.

Nach der Erstellung des Einkaufsbeleges aus dem validierten SQUEEZE Beleg haben Sie die Möglichkeit, die Anhänge abzugreifen (sofern diese im Vorfeld heruntergeladen wurden).

```
// Set IsHandled to true and implement your code
// Do not forget to deactivate "Transfer attachments to target document" in the Document
Class Setup
[ EventSubscriber(ObjectType::Codeunit, Codeunit::"DXP Document Mgt.",
' OnBeforeTransferCoreAttachmentsToStandardDocument', '', false, false)]
    local procedure DXPDocMgtOnBeforeTransferCoreAttachmentsToStandardDocument(Document:
Record "DXP Document"; var IsHandled: Boolean)
    begin
        IsHandled := true;
        HandleCoreAttachmentsAccordingToYourNeeds(Document, IsHandled);
    end;

    procedure HandleCoreAttachmentsAccordingToYourNeeds(Document: Record "DXP Document"; var
IsHandled: Boolean)
    var
        CoreAttachments: Record "DXP Document Attachment";
        InStr: InStream;
    begin
        CoreAttachments.SetRange("Document No.", Document."No.");
        CoreAttachments.IsEmpty() then
            exit;
        CoreAttachments.FindSet();
        repeat
            CoreAttachments.CalcFields(Attachment);
            CoreAttachments.Attachment.CreateInStream(InStr);
            // Here you can handle the file stream according to your needs
        [...]
```

```
until CoreAttachments.Next() = 0;  
end;
```

Revision #3

Created 13 February 2023 07:43:44 by Bernd Feddersen

Updated 24 January 2025 11:07:05 by Bernd Feddersen